

	Hits	Search Text	DBs
1	4867	(correlat\$5 or integra\$5) and (transition\$5 adj tim\$5) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	16	((larg\$5 or max\$5) with (correlat\$5 or integra\$5) and (assum\$5 with (transition\$5 adj tim\$5)) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	8	((larg\$5 or max\$5) with (correlat\$5 or integra\$5) and (assum\$5 with (transition\$5 adj tim\$5)) and (NOT VLSI) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	2733	((larg\$5 or max\$5) with (correlat\$5 or integra\$5) with dela\$5) and (NOT VLSI) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	0	((larg\$5 or max\$5) with (correlat\$5 or integra\$5) with dela\$5) same (bit\$2 near2 transition\$5) and (NOT VLSI) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	32	((larg\$5 or max\$5) with (correlat\$5 or integra\$5) with dela\$5) and (bit\$2 near2 transition\$5) and (NOT VLSI) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	3	((larg\$5 or max\$5) with (correlat\$5 or integra\$5) with ((dela\$5 or shift\$5) near2 bit\$2)) and (bit\$2 near2 transition\$5) and (NOT VLSI) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	2	"6075987".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	3	((larg\$5 or max\$5) with (correlat\$5 or integra\$5) with ((dela\$5 or shift\$5) near2 bit\$2)) and (bit\$2 near2 transition\$5) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	715	(shift near1 register) and (bit\$2 near1 transition\$5) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	60	((shift near1 register) same (integra\$5)) and (bit\$2 near1 transition\$5) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
12	1	((shift near1 register) same (integra\$5)) and (bit\$2 near1 transition\$5 near1 tim\$5) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	34	((shift near1 register) same (integra\$5)) and (bit\$2 near1 transition\$5) and (not "integrated circuits") and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	11	((shift near1 register) same (integra\$5)) and (bit\$2 near2 transition\$5 near2 tim\$5) and (not "integrated circuits") and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	16	((shift near1 register) same (integra\$5 or sum\$5)) and (bit\$2 near2 transition\$5 near2 tim\$5) and (not "integrated circuits") and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	5	S15 not S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	10041	((shift near1 register) same (integra\$5 or sum\$5)) and (not "integrated circuits") and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	587	375/???.ccls. and ((shift near1 register) with (integra\$5 or sum\$5)) and (not "integrated circuits") and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	48	375/???.ccls. and ((shift near1 register) with (integra\$5 or sum\$5)).ab. and (not "integrated circuits") and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	2	("4291410" "5353301").PN.	US-PGPUB; USPAT; USOCR
21	2	("6577674").URPN.	USPAT
22	57	((locat\$5 or find\$5 or determin\$5) near5 bit\$2 near2 transition\$5 near2 tim\$5) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
23	31	((locat\$5 or find\$5 or determin\$5) near5 bit\$2 near2 transition\$5 near2 tim\$5) and (integra\$5 or sum\$5) and (not "integrated circuit") and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	7	("4559602" "5005210" "5327144" "5329591" "5369682" "5448760" "5724389").PN.	US-PGPUB; USPAT; USOCR
25	6	("5835530").URPN.	USPAT
26	25	((locat\$5 or find\$5 or determin\$5) near5 bit\$2 near2 transition\$5 near2 tim\$5) and correl\$5 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	0	(375/226, 375/227, 375/228, 375/242, 375/243, 375/244, 375/245, 375/247, 375/286, 375/289, 375/290, 375/254, 375/317, 375/316, 375/354, 375/360, 375/359, 375/371, 375/377, 324/76.11, 324/76.12, 324/76.38, 324/76.52, 324/76.77, 324/76.82, 708/494, 708/490, 708/200, 708/800, 708/801, 708/823, 708/824, 708/100).ccls. and ((integra\$5 or sum\$5 or add\$5) near2 signal\$5 near2 (bit\$5 or data) near2 (transition\$5 or chang\$5 or differ\$5) near2 (occur\$5 or "when" or "if")) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	150	((integra\$4 or sum\$7 or add\$6) near6 signal\$4 near6 (bit\$2 or data) near6 (transition\$4 or chang\$4 or differ\$4) near6 (occur\$5 or "when" or "if")) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	7	((integra\$4 or sum\$7 or add\$6) near2 signal\$4 near2 (bit\$2 or data) near2 (transition\$4 or chang\$4 or differ\$4) near2 (occur\$5 or "when" or "if")) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	0	((integra\$4 or sum\$7 or add\$1 or "adding" or adder\$2) near2 (analog or signal\$4) near2 (bit\$2 or data) near2 (transition\$4 or chang\$4 or differ\$4) near2 (occur\$5 or "when" or "if")) near2 (digital\$2) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
31	5	((integra\$4 or sum\$7 or add\$1 or "adding" or adder\$2) near6 (analog or signal\$4) near6 (bit\$2 or data) near6 (transition\$4 or chang\$4 or differ\$4) near6 (occur\$5 or "when" or "if")) near6 (digital\$2) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	2	("3728484" "4225964").PN.	US-PGPUB; USPAT; USOCR
33	3	("4278992").URPN.	USPAT
34	31	\$28 and ((analog near2 digital) or "a/d")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	2024	((integra\$4 or sum\$7 or add\$1 or "adding" or adder\$2) near6 (analog or signal\$4) near6 (transition\$4 or chang\$4 or differ\$4) near6 (digital\$2)) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	192	((integra\$4 or sum\$7 or add\$1 or "adding" or adder\$2) near2 (analog or signal\$4) near2 (transition\$4 or chang\$4 or differ\$4) near2 (digital\$2)) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	3180	((integra\$4 or sum\$7 or add\$1 or "adding" or adder\$2) near2 (analog or signal\$4) near2 (transition\$4 or chang\$4 or differ\$4)) and ((analog near2 digital) or "a/d") and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	528	((((integra\$4 or sum\$7 or add\$1 or "adding" or adder\$2) near2 (analog or signal\$4) near2 (transition\$4 or chang\$4 or differ\$4)) same ((analog near2 digital) or "a/d")) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	0	((((integra\$4 or sum\$7 or add\$1 or "adding" or adder\$2) near2 (analog or signal\$4) near2 (transition\$4 or chang\$4 or differ\$4) near2 (plac\$2 or locat\$5)) same ((analog near2 digital) or "a/d")) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
40	12	((((integra\$4 or sum\$7 or add\$1 or "adding" or adder\$2) near6 (analog or signal\$4) near6 (transition\$4 or chang\$4 or differ\$4) near6 (plac\$2 or locat\$5)) same ((analog near2 digital) or "a/d")) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	0	SANDERS-JEFFREY.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	1	SANDERS-JEFF.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	10	("3624558" "3781685" "4542354" "4990914").PN. OR ("5227795").URPN.	US-PGPUB; USPAT; USOCR
44	12	("3908181" "4251804" "4509037" "4684925").PN. OR ("4990914").URPN.	US-PGPUB; USPAT; USOCR
45	1	"6075987".pn.	US-PGPUB; USPAT; USOCR
46	7	(m or n) near2 analog near2 (integrat\$5 or additions or summations or adding or addition or summing or summation) near2 (digital or threshold\$3) and @ad<"20010731"	US-PGPUB; USPAT; USOCR
47	130	(m or n) near6 analog near6 (integrat\$5 or additions or summations or adding or addition or summing or summation) near6 (digital or threshold\$3) and @ad<"20010731"	US-PGPUB; USPAT; USOCR
48	0	((locat\$5 or find\$5 or determin\$5) near5 bit\$2 near2 transition\$5 near2 tim\$5)) and (m or n) near6 analog near6 (integrat\$5 or additions or summations or adding or addition or summing or summation) near6 (digital or threshold\$3) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	6	(analog or signal\$2) near6 (integrat\$5 or additions or summations or adding or addition or summing or summation) near6 ((locat\$5 or find\$5 or determin\$5 or position\$5 or plac\$5 or tim\$5) near6 (bit\$2 near2 transition\$5)) and (m or n or multipl\$5) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
50	9	((locat\$5 or find\$5 or determin\$5 or position\$5 or plac\$5 or tim\$5) near6 (bit\$2 near2 transition\$5))) and (m or n or multipl\$5) near6 analog near6 (integrat\$5 or additions or summations or adding or addition or summing or summation) near6 (digital or threshold\$3 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	4	("6407699").URPN.	USPAT
52	9	("4701934" "4785463" "5323322" "5663734" "5781156" "5798732" "5874914" "6133871" "6259402").PN.	US-PGPUB; USPAT; USOCR
53	0	(375/226, 375/227, 375/228, 375/242, 375/243, 375/244, 375/245, 375/247, 375/286, 375/289, 375/290, 375/254, 375/317, 375/316, 375/354, 375/360, 375/359, 375/371, 375/377, 324/76.11, 324/76.12, 324/76.38, 324/76.52, 324/76.77, 324/76.82, 708/494, 708/490, 708/200, 708/800, 708/801, 708/823, 708/824, 708/100).ccls. and ((integra\$5 or sum\$5 or add\$5) near2 signal\$5 near2 (bit\$5 or data) near2 (transition\$5 or chang\$5 or differ\$5) near2 (occur\$5 or "when" or "if")) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB